ACCURA


Air coolers

- 2027 range



The range

12 models at a glance




Tower

AMCL-101R

360° two-way airflow tower

3.6 L · 65 W · 6 m/s

Page 6



Tower · 2 versions

AMCL-102 / 102R

Slim tower with aroma tank

3.5 L · 70 W · 80° swing

Page 7



Tower

AMCL-103R

Slim tower, mist & light option

4 L · 65 W · 6 m/s

Page 8



Portable

AMCL-104R

Mist + ambient light as option, on wheels

7 L · 45 W · 8 speeds

Page 9



Tower

AMCL-105R

Bladeless air cooler and fan

4 L · 65 W · 40° oscillation

Page 10



Portable · 2 versions

AMCL-106 / 106R

Detachable tank, 2 ice boxes

25 L · 45 W · 5 m reach

Page 11



Portable · 2 versions

AMCL-107 / 107R

Detachable tank, 2 ice boxes

15 L · 45 W · 3 m reach

Page 12



Portable · 2 versions

AMCL-108 / 108R

3-in-1, rounded oscillating body

5 L · 45 W · 5.5 m/s

Page 13



Portable

AMCL-109

Simple, quiet cooler on wheels

4 L · 2 ice boxes · Mechanical

Page 14



Portable · 4 versions

AMCL-110 / 110R / 111 / 111R

Large cooler on wheels, glass top option

25–35 L · 80 W · 2 ice boxes

Page 15



Heat + cool

AMCL-112R

3-in-1: heats, cools and mists

1.2 L · 1800 W heat · 6 m/s

Page 16



Heat + cool


AMCL-113R

Bladeless, heats, cools and mists

3 L · 1800 W heat · 120° rotation

Page 17

Towers and Portables


	 AMCL-101R	 AMCL-102	 AMCL-103R	 AMCL-104R
Type	Tower	Tower	Tower	Portable
Controls	LED display + remote	Manual, or digital + remote	LED display + remote	LED display + remote
Power	65 W	70 W	65 W	45 W, 65 W with mist
Water tank	3.6 L	3.5 L + ice pack	4 L + ice box	7 L + ice box
Airflow / reach	300 m³/h · up to 6 m/s	80° auto swing	Up to 6 m/s	8 speeds, auto swing
Speeds	3	3	3	8
Timer	1–24 h	7.5 h (digital)	24 h	24 h
Product size	330×330×1170 mm	290×290×975 mm	320×320×980 mm	260×225×565 mm
NW / GW	5 / 6.2 kg	4.8 / 6 kg	4.9 / 6 kg	3.2 / 4.2 kg
40HQ loading	960 pcs	1,360 pcs	1,125 pcs	1,560 pcs
Stand-out feature	360° two-way airflow	Separate perfume tank	Mist + ambient light option	Mist + ambient light option

Towers and Portables

	 AMCL-105R	 AMCL-106	 AMCL-107	 AMCL-108
Type	Tower	Portable	Portable	Portable
Controls	Touch, digital display + remote	Knobs, or touch + remote (R)	Knobs, or touch + remote (R)	Knobs, or touch + remote (R)
Power	65 W	45 W	45 W	45 W
Water tank	4 L	25 L, humidifying + 2 ice boxes	15 L, humidifying + 2 ice boxes	5 L
Airflow / reach	6.8 m/s max · 40° oscillation	Reaches 5 m	Reaches 3 m	Up to 5.5 m/s
Speeds	3	3	3	3
Timer	12 h	12 h (R)	12 h (R)	12 h (R)
Product size	295×190×780 mm	305×260×680 mm	305×260×600 mm	244×220×596 mm
NW / GW	4 / 5 kg	4 / 4.8 kg	4 / 4.8 kg	2.7 / 3.5 kg
40HQ loading	959 pcs	1,680 pcs	1,680 pcs	1,310 pcs
Stand-out feature	Bladeless ring outlet	Detachable tank · optimal container loading	Detachable tank · optimal container loading	3-in-1 with oscillation

Portables and Heat + cool

	 AMCL-109	 AMCL-110	 AMCL-112R	 AMCL-113R
Type	Portable	Portable	Heat + cool 3-in-1	Heat + cool
Controls	Mechanical knobs	Knobs, or remote (R)	LED display + remote	LED display + remote
Power	Not stated	80 W	60 W cool / 1800 W heat	60 W cool / 1800 W heat
Water tank	4 L + 2 ice boxes	25 L or 35 L + 2 ice boxes	1.2 L	3 L
Airflow / reach	3.5 m/s max	4250 m³/h	200 m³/h · up to 6 m/s	120° rotation
Speeds	3	3	3	3
Timer	None	0.5–7.5 h (R)	1–24 h	12 h
Product size	400×300×770 mm	450×340×820 or 920 mm	220×210×570 mm	295×240×820 mm
NW / GW	3.6 / 4 kg	8 / 9.5 or 10 / 12 kg	3.5 / 4.5 kg	5.7 / 6.9 kg
40HQ loading	1,410 pcs	455 or 400 pcs	1,480 pcs	840 pcs
Stand-out feature	Quiet, louvre fan style	Two tank sizes, optional glass top	3-in-1: heats, cools and mists	Cool+Heat, mist + UV light



360° dual-direction tower

AMCL-101R


The upper and lower body oscillate separately in different directions: 60° automatic on the lower body, 360° automatic on the upper.


1. **Two-way airflow**
   60° lower body, 360° upper body
2. **LED display + remote**
   24 h timer, works from 5–8 m
3. **High air volume, low noise**
   Up to 6 m/s
4. **3.6 L water tank**
   Evaporates 0.3–0.5 L per hour

Specifications

Power	65 W
Airflow	300 m^3/h
Max wind speed	6 m/s
Water tank	3.6 L
Material	PP
Product size	330×330×1170 mm
Packing size	1170×254×235 mm
NW / GW	5 / 6.2 kg
20FT / 40HQ	386 / 960 pcs
Voltage	220–240 V, 50/60 Hz

AMCL-102 Mechanical





AMCL-102R
Digital + remote

Tower air cooler · aromatherapy

AMCL-102 / 102R

A slim tower cooler with its own perfume tank, so the room smells fresh while it cools.

AMCL-102 Mechanical

AMCL-102R Digital + remote

1. **80° auto swing**
   3 speeds, 3 wind modes
2. **3.5 L tank + ice pack**
   Water-cycling cooling

\+ **Simple manual controls** AMCL-102
No remote

\+ **Built-in perfume tank**
Separate tank for aromatherapy

\+ **LED display + remote** AMCL-102R
7.5 h timer

Specifications

Power	70 W
Controls	AMCL-102 Manual AMCL-102R LED display, remote, 7.5 h timer
Water tank	3.5 L
Material	PP + ABS
Product size	290×290×975 mm
Packing size	1015×235×215 mm
NW / GW	4.8 / 6 kg
20FT / 40HQ	560 / 1,360 pcs
Voltage	220–240 V, 50/60 Hz



Shown with optional humidifier + ambient light

Tower air cooler · mist & light option

AMCL-103R

A tall, slim tower with LED display and remote, plus optional mist and a glowing ambient light ring.

1. **Mist + ambient light**
   Optional add-on
2. **LED display + remote**
   24 h timer
3. **Up to 6 m/s airflow**
   3 speeds, auto left-right swing
4. **4 L tank + ice box**
   Water-circulation cooling

Specifications

Power	65 W
Water tank	4 L
Material	PP
Product size	320×320×980 mm
Packing size	240×250×995 mm
NW / GW	4.9 / 6 kg
20FT / 40HQ	455 / 1,125 pcs
Voltage	220–240 V, 50/60 Hz



Shown with optional humidifier + ambient light

Air cooler on wheels · mist + ambient light option

AMCL-104R

A 7 L tank with mist + ambient light as option, on wheels that roll from room to room, with 8 speeds and a remote.

1. **Mist + ambient light**
   Optional add-on
2. **LED display + remote**
   24 h timer
3. **8 speeds, auto swing**
   3 modes: normal, natural, sleep
4. **7 L tank + ice box**
   Water-circulation cooling

Specifications

Power	45 W, 65 W with mist
Water tank	7 L
Material	PP
Product size	260×225×565 mm
Packing size	285×270×585 mm
NW / GW	3.2 / 4.2 kg
20FT / 40HQ	628 / 1,560 pcs
Voltage	220–240 V, 50/60 Hz



Bladeless tower · air cooler + fan

AMCL-105R

A slim bladeless tower with a blue ring outlet, touch panel and remote: an air cooler and a bladeless fan in one.

1. **Touch panel + remote**
   Digital display, 12 h timer
2. **Bladeless ring outlet**
   3 wind speeds
3. **4 L water tank**
   Water cooling
4. **40° oscillation**
   Spreads the air around the room

Specifications

Power	65 W
Controls	Touch panel, digital display, remote, 12 h timer
Airflow	6.8 m/s max
Water tank	4 L
Oscillation	40°
Speeds	3
Product size	295×190×780 mm
Carton size	345×240×880 mm
NW / GW	4 / 5 kg
40HQ	959 pcs
Voltage	220–240 V

AMCL-106 Mechanical knobs





AMCL-106R
Touch panel + remote

Portable air cooler · 25 L humidifier

AMCL-106 / 106R

A big 25 L detachable tank with a humidifying function, and air that reaches 5 m. With two ice boxes.

AMCL-106 Mechanical knobs

1. **Mechanical knobs** AMCL-106
   3 fan speeds
3. **Detachable design**
   Optimal container loading quantity

\+ **Touch panel + remote** AMCL-106R
12 h timer

AMCL-106R Touch panel + remote

2. **Large circular fan**
   Air reaches up to 5 m
4. **25 L water tank**
   With humidifying function

Specifications

Power	45 W
Controls	AMCL-106 Mechanical knobs AMCL-106R Touch panel, remote, 12 h timer
Water tank	25 L, humidifying
Ice boxes	2
Air reach	5 m
Speeds	3
Product size	305×260×680 mm
Colour box	340×280×420 mm
NW / GW	4 / 4.8 kg
20FT / 40FT / 40HQ	680 / 1,400 / 1,680 pcs
Voltage	220–240 V, 50/60 Hz

AMCL-107 Mechanical knobs





AMCL-107R
Touch panel + remote

Portable air cooler · 15 L humidifier

AMCL-107 / 107R

A big 15 L detachable tank with a humidifying function. With two ice boxes.

AMCL-107 Mechanical knobs

AMCL-107R Touch panel + remote

1. **Mechanical knobs** AMCL-107
   3 fan speeds
2. **Large circular fan**
   Air reaches up to 3 m
3. **Detachable design**
   Optimal container loading quantity
4. **15 L water tank**
   With humidifying function

\+ **Touch panel + remote** AMCL-107R
12 h timer

Specifications

Power	45 W
Controls	AMCL-107 Mechanical knobs AMCL-107R Touch panel, remote, 12 h timer
Water tank	15 L, humidifying
Ice boxes	2
Air reach	3 m
Speeds	3
Product size	305×260×600 mm
Colour box	340×280×420 mm
NW / GW	4 / 4.8 kg
20FT / 40FT / 40HQ	680 / 1,400 / 1,680 pcs
Voltage	220–240 V, 50/60 Hz

AMCL-108 Mechanical knobs





AMCL-108R
Touch panel + remote

Air cooler · humidifier · oscillation

AMCL-108 / 108R

A rounded 3-in-1 that cools, purifies and humidifies, with a large square-grille fan and a body that swings from side to side.

AMCL-108 Mechanical knobs

AMCL-108R Touch panel + remote

1. **Mechanical controls** AMCL-108
   Speed knob, cool and swing
2. **Square-grille fan**
   Up to 5.5 m/s, 3 speeds
3. **5 L water tank**
   With water-level window
4. **Oscillation**
   Swings from side to side

\+ **3-in-1**
Air cooler, purifier, humidifier

\+ **Touch panel + remote** AMCL-108R
12 h timer

Specifications

Power	45 W
Controls	AMCL-108 Mechanical knobs AMCL-108R Touch panel, remote, 12 h timer
Water tank	5 L
Max wind speed	5.5 m/s
Speeds	3
Noise	≤65 dB
Product size	244×220×596 mm
Packing size	295×270×650 mm
NW / GW	2.7 / 3.5 kg
40HQ	1,310 pcs
Voltage	220–240 V, 50/60 Hz



Portable air cooler · mechanical

AMCL-109

A simple, quiet cooler on castor wheels, with a 4 L tank and two ice boxes.

1. **Mechanical controls**
   High, medium, low
2. **Quiet louvre fan**
   3 fan speeds
3. **4 L tank + 2 ice boxes**
   Water-cooled air
4. **Castor wheels**
   Rolls from room to room

Specifications

Controls	Mechanical
Airflow	3.5 m/s max
Water tank	4 L + 2 ice boxes
Speeds	3
Product size	400×300×770 mm
Colour box	305×260×610 mm
NW / GW	3.6 / 4 kg
20FT / 40FT / 40HQ	580 / 1,200 / 1,410 pcs
Voltage	220–240 V, 50/60 Hz



Photo shows the 25 L AMCL-110 with knobs. AMCL-111 has a 10 cm taller tank.

Portable air cooler · 25 or 35 L

AMCL-110 / 110R / 111 / 111R

A large cooler on castor wheels with a choice of 25 L or 35 L tank, supplied with two ice boxes, and an optional glass top panel.

AMCL-110 25 L, knobs
AMCL-111 35 L, knobs
AMCL-110R 25 L, remote
AMCL-111R 35 L, remote

1. **Mechanical controls**
   3 wind speeds
2. **Large louvred front**
   80 W, 3 wind speeds
3. **25 L tank + 2 ice boxes**
   With water-level window
4. **Castor wheels**
   Rolls from room to room

\+ **Option**
Glass top panel

\+ **Remote control**
0.5–7.5 h timer

\+ **35 L tank + 2 ice boxes**
With water-level window

Specifications

Power	80 W
Controls	AMCL-110, AMCL-111 Mechanical AMCL-110R, AMCL-111R Remote, 0.5–7.5 h timer
Airflow	4250 m³/h
Water tank	AMCL-110, AMCL-110R 25 L AMCL-111, AMCL-111R 35 L
Ice boxes	2
Speeds	3
Product size	AMCL-110, AMCL-110R 450×340×820 mm AMCL-111, AMCL-111R 450×340×920 mm
Packing size	AMCL-110, AMCL-110R 500×380×785 mm AMCL-111, AMCL-111R 500×380×885 mm
NW / GW	AMCL-110, AMCL-110R 8 / 9.5 kg AMCL-111, AMCL-111R 10 / 12 kg
40HQ	AMCL-110, AMCL-110R 455 pcs AMCL-111, AMCL-111R 400 pcs
Voltage	220–240 V, 50/60 Hz



3-in-1: heats, cools and mists

AMCL-112R

One unit for every season: cool air in summer, up to 1800 W of heat in winter, plus mist with ambient light.

1. **LED display + remote**
   1–24 h timer
2. **Hot and cold air**
   Heating 800 W / 1800 W
3. **70° oscillation**
   3 speeds, up to 6 m/s
+ **Mist with ambient light**
   1.2 L water tank

Specifications

Power	60 W cool / 1800 W heat
Airflow	200 m^3/h
Water tank	1.2 L
Material	PP
Product size	220×210×570 mm
Packing size	230×230×590 mm
NW / GW	3.5 / 4.5 kg
20FT / 40HQ	600 / 1,480 pcs
Voltage	220–240 V, 50/60 Hz



Heating · cooling · mist · UV light

AMCL-113R

A bladeless tower for every season: cool air in summer, up to 1800 W of heat in winter, plus ultrasonic mist and a UV light.

1. **Bladeless air outlet**
   120° rotation, 3 speeds
2. **LED display + remote**
   12 h timer
3. **UV light**
   For sterilization
4. **Hot and cold air**
   2 heat levels, up to 1800 W

\+ **Ultrasonic mist**
3 L tank, 9 h spray time

\+ **Safety protection**
Overheating and tip-over

Specifications

Power	60 W cool / 1800 W heat
Water tank	3 L
Spray time	9 h
Speeds	3
Material	PP + ABS
Product size	295×240×820 mm
Gift box size	340×285×865 mm
NW / GW	5.7 / 6.9 kg
20FT / 40FT / 40HQ	370 / 683 / 840 pcs
Voltage	110–240 V, 50/60 Hz

ACCURA

Interested?

Please contact **sales@accura-mfg.co**