ACCURA

Bladeless fans

- 2027 range



The range

8 models at a glance



Tower · 3 versions

AMBL-103 / 103R

Slim tower, 3 versions, 2 colours

25–55 W · 1,300 per 40HQ

2 colours

Page 5



Tower · 2 versions

AMBL-104R

Tall tower with RGB light

40–80 W · 900 per 40HQ

2 colours

Page 6



Tower · 2 versions

AMBL-105R

Square-frame tower

30–60 W · 1,080 per 40HQ

Page 7



Tower · 3 versions

AMBL-106 / 106R

Tall tower, light option

40 W · 1,030 per 40HQ

2 colours

Page 8



Tower · 2 versions


AMBL-107R

Up to 8 m/s, negative ion

35–55 W · 9 h timer

2 colours

Page 9



Tower

AMBL-108R

Oval tower, 7-colour LED ring

28" · 45 W · 8 h timer

3 colours

Page 10



Desk

AMBL-101

Rechargeable, with ambient light

10 W · 2400 mAh · USB-C

Page 11



Desk

AMBL-102

Rechargeable, in 4 colours

2200 mAh · 3 speeds · 3 h battery

4 colours

Page 12

Towers

	 AMBL-103	 AMBL-104R	 AMBL-105R	 AMBL-106
Type	Tower	Tower	Tower	Tower
Controls	Mechanical, or LED + remote	LED display + remote	LED display + remote	Mechanical, or digital
Motor	AC or BLDC	AC or BLDC	AC or BLDC	AC or DC
Power	55 W AC / 25 W BLDC	80 W AC / 40 W BLDC	60 W AC / 30 W BLDC	40 W
Airflow	Oscillation, 12 levels	Oscillation, 12 levels	Oscillation, 12 levels	Oscillation, 12 levels
Timer	Not stated	Not stated	Not stated	Not stated
Product size	201×201×860 mm	206×218×985 mm	240×250×890 mm	205×205×940 mm
NW / GW	2.65 / 3.55 kg	2.85 / 3.75 kg	2.85 / 3.75 kg	3.3 / 4.6 kg
40HQ loading	1,300 pcs	900 pcs	1,080 pcs	1,030 pcs
Stand-out feature	3 versions, 2 colours	7-colour RGB ambient light	Square-framed outlet	Ambient light option

Towers and Desk fans

	 AMBL-107R	 AMBL-108R	 AMBL-101	 AMBL-102
Type	Tower	Tower	Desk	Desk
Controls	LED display + remote	Panel + remote	Touch panel	Digital display
Motor	AC or BLDC	AC	BLDC	BLDC
Power	55 W AC / 35 W BLDC	45 W	10 W	Not stated
Airflow	Up to 8 m/s, 12 levels	50° oscillation, 3 speeds	3 speeds	3 speeds
Timer	9 h	8 h	Not stated	Not stated
Product size	220×220×970 mm	270×180×715 mm	140×100×305 mm	140×140×390 mm
NW / GW	3 / 4.5 kg	2.7 / 3.5 kg	0.6 / 0.85 kg	0.6 / 0.85 kg
40HQ loading	1,150 pcs	1,560 pcs	9,100 pcs	7,500 pcs
Stand-out feature	8 m/s, negative ion function	7-colour LED ring	Ambient light, 2400 mAh battery	4 colours, 3-hour battery

Black





White

Bladeless tower · AC or BLDC motor

AMBL-103 / 103R

A slim bladeless tower with a choice of mechanical or digital controls, an AC or BLDC motor, and black or white.

Mechanical AC
Digital BLDC

Digital AC

1 Mechanical controls
Simple dial on the body

2 Bladeless air outlet
Oscillates left and right

3 AC motor
High wind speed, low noise

+ LED display + remote
3 modes: natural, normal, sleep

+ Wind speeds
12 levels

+ BLDC motor
High wind speed, low noise

Specifications

Power	Mechanical AC, Digital AC 55 W Digital BLDC 25 W
Motor	Mechanical AC, Digital AC AC Digital BLDC BLDC
Controls	Mechanical AC Mechanical Digital AC, Digital BLDC LED display + remote
Material	ABS
Finish option	Painted surface
Colours	White, black
Product size	201×201×860 mm
Packing size	895×235×245 mm
NW / GW	2.65 / 3.55 kg
20FT / 40HQ	520 / 1,300 pcs
Voltage	220–240 V, 50/60 Hz

Black





White

Bladeless tower · 7-colour RGB light

AMBL-104R

A tall bladeless tower with a 7-colour RGB ambient light and an LED display, in black or white.

Digital AC

1. **LED display + remote**
   3 modes: natural, normal, sleep
3. **AC motor**
   High wind speed, low noise
+ **Wind speeds**
   12 levels

Digital BLDC

2. **Bladeless air outlet**
   Oscillates left and right
+ **RGB ambient light**
   7 colours
+ **BLDC motor**
   High wind speed, low noise

Specifications

Power	Digital AC 80 W Digital BLDC 40 W
Motor	Digital AC AC Digital BLDC BLDC
Controls	LED display + remote
Material	ABS
Finish option	Painted surface
Product size	206×218×985 mm
Packing size	1015×245×275 mm
NW / GW	2.85 / 3.75 kg
20FT / 40HQ	362 / 900 pcs
Voltage	220–240 V, 50/60 Hz



Bladeless tower · AC or BLDC motor

AMBL-105R

A square-framed bladeless tower with an LED display and remote, and a choice of AC or BLDC motor.

Digital AC

1 LED display + remote
3 modes: natural, normal, sleep

3 AC motor
High wind speed, low noise

+ BLDC motor
High wind speed, low noise

Digital BLDC

2 Bladeless air outlet
Oscillates left and right

+ Wind speeds
12 levels

Specifications

Power	Digital AC 60 W Digital BLDC 30 W
Motor	Digital AC AC Digital BLDC BLDC
Controls	LED display + remote
Material	ABS
Finish option	Painted surface
Product size	240×250×890 mm
Packing size	920×260×260 mm
NW / GW	2.85 / 3.75 kg
20FT / 40HQ	620 / 1,080 pcs
Voltage	220–240 V, 50/60 Hz

Cream





White

Photo shows one version. Cream is illustrative.

Bladeless tower · ambient light option

AMBL-106 / 106R

A tall bladeless tower with mechanical or digital controls, a choice of AC or DC motor, and an optional ambient light.

Mechanical AC
Digital DC

Digital AC

1 **Mechanical controls**
Simple dial on the body

2 **Bladeless air outlet**
Oscillates left and right

3 **AC motor**
High wind speed, low noise

\+ **Ambient light**
Optional add-on

\+ **LED display + remote**
3 modes: natural, normal, sleep

\+ **Wind speeds**
12 levels

\+ **DC motor**
High wind speed, low noise

Specifications

Power	40 W
Motor	Mechanical AC, Digital AC AC Digital DC DC
Controls	Mechanical AC Mechanical Digital AC, Digital DC LED display + remote
Material	ABS
Finish option	Painted surface
Product size	205×205×940 mm
Packing size	975×245×275 mm
NW / GW	3.3 / 4.6 kg
20FT / 40HQ	450 / 1,030 pcs
Voltage	220–240 V, 50/60 Hz

Purple





Blue

Bladeless tower · stronger wind

AMBL-107R

A tall bladeless tower with wind speed up to 8 m/s, a 9-hour timer and a negative ion function, in purple or blue.

AC motor

1 High wind speed
Up to 8 m/s, low noise

+ AC motor
55 W

+ BLDC motor
35 W

BLDC motor

2 LED display + remote
9 h timer

+ Negative ion function
For sterilization

Specifications

Power	AC motor 55 W BLDC motor 35 W
Motor	AC motor AC BLDC motor BLDC
Max wind speed	8 m/s
Controls	LED display, remote, 9 h timer
Material	ABS
Finish option	Painted surface
Product size	220×220×970 mm
Packing size	258×268×1015 mm
NW / GW	3 / 4.5 kg
20FT / 40HQ	460 / 1,150 pcs
Voltage	220–240 V, 50/60 Hz

Black



28" bladeless tower · 7-colour LED

AMBL-108R

A 28-inch oval bladeless tower with a 7-colour LED ring, a remote control and an 8-hour timer.

1. **7-colour LED ring**
   Around the bladeless outlet
2. **Display panel**
   3 speeds, 8 h timer
3. **Remote control**
   Supplied with the fan
+ **50° oscillation**
   Spreads the air around the room
+ **AC motor**
   45 W

Specifications

Height	28"
Light	7-colour LED
Colours	Black, white, blue, green
Power	45 W
Motor	AC
Controls	Panel, remote, 8 h timer
Speeds	3
Oscillation	50°
Product size	270×180×715 mm
Gift box size	290×205×750 mm
NW / GW	2.7 / 3.5 kg
40HQ	1,560 pcs
Voltage	220–240 V, 50 Hz



Rechargeable desk fan · ambient light

AMBL-101

A small rechargeable desk fan with a glowing ring, a touch panel and a USB-C battery.

1 Ambient light
Glowing bladeless ring

2 Touch control panel
3 wind speeds

+ Rechargeable battery
2400 mAh, charges by USB-C

+ Brushless DC motor
10 W

+ Colour options
6 colours available

Specifications

Power	10 W
Motor	BLDC
Battery	2400 mAh
Charging	USB-C, 5 V / 2 A
Speeds	3
Material	ABS
Product size	140×100×305 mm
Packing size	160×128×333 mm
NW / GW	0.6 / 0.85 kg
Carton	12 pcs
20FT / 40HQ	3,720 / 9,100 pcs

Blue





White



Green



Pink

Rechargeable desk fan · 4 colours

AMBL-102

A rechargeable desk fan with a digital display and soft airflow, in white, green, pink or blue.

1. **Bladeless design**
   Soft airflow
2. **Digital display**
   Shows the power level
3. **Dual air inlets**
   Wider air coverage
+ **Built-in battery**
   2200 mAh, about 3 hours
+ **Brushless DC motor**
   Charges by USB-C

Specifications

Power	Not stated
Motor	BLDC
Battery	2200 mAh
Charging	USB-C
Speeds	3
Material	ABS
Product size	140×140×390 mm
Packing size	145×145×420 mm
NW / GW	0.6 / 0.85 kg
Colours	White, green, pink, blue
20FT / 40HQ	3,000 / 7,500 pcs

ACCURA

Interested?

Please contact **sales@accura-mfg.co**