ACCURA

Stand fans

- 2027 range









The range

18 models at a glance



Stand

AMSF-101R

AI mode, BLDC motor

12" or 14" · 50 W · 12 speeds

Page 9



Stand

AMSF-102R

High speed, about 10 m/s

12" · 80 W · 5 speeds

● ○ 2 colours

Page 10



Stand

AMSF-103R

BLDC motor, adjustable height

12" · 24 W · 9 h timer

Page 11



Stand · 2 versions

AMSF-104 / 104R

Folds into the base

14" · 50 W · 3 speeds

● ○ 2 colours

Page 12



Stand · 2 versions

AMSF-105 / 105R

2 in 1, voice control option

14" · 50 W · 7 m/s

Page 13



Stand

AMSF-106R

3 in 1, knob display

14", 16" or 18" · 50 W · 4 speeds

Page 14



Stand

AMSF-107R

Five blades, remote control

16" · 40 W · 3 speeds

Page 15



Stand

AMSF-108R

LED display, touch panel

16" · 50 W · 3 speeds

● ○ 2 colours

Page 16



Stand

AMSF-109R

LED display, 12-hour timer

16" · 45 W · 3 speeds

● ○ 2 colours

Page 17



Stand · 2 versions

AMSF-110 / 110R

3 in 1, voice control option

16" · 50 W · 3 speeds

Page 18



Stand

AMSF-111

Double head, BLDC motor

14" or 16" · 50 W · 12 speeds

Page 19



Stand

AMSF-112R

Cross base, remote control

16" · 40 W · 3 speeds

Page 20

The range

18 models at a glance



Stand

AMSF-113

Five blades, cross base

16" · 40 W · 1,100 rpm

Page 21



Stand

AMSF-114

Five blades, cross base

16" · 40 W · 1,100 rpm

Page 22



Circulation stand · 2 versions

AMSF-115 / 115R

Compact head, mosquito repellent option

10" · 30 W · 3 speeds

Page 23



Stand

AMSF-116R

Three aluminium blades, 3-in-1

16" · 45 W · 3 speeds

Page 24



Stand

AMSF-117

Aluminium blades, 125 W

18" · 125 W · 1,300 rpm

Page 25



Stand

AMSF-118R

Plastic grille, remote control

18" · 60 W · 1,300 rpm

Page 26

Stand fans

	 AMSF-101R	 AMSF-102R	 AMSF-103R	 AMSF-104
Type	Stand	Stand	Stand	Stand
Controls	Remote control	Remote control	Remote control	Mechanical / touch screen + remote
Motor	BLDC	AC, DC optional	BLDC	AC
Power	50 W	80 W	24 W	50 W
Speeds	12 speeds	About 10 m/s, 5 speeds	9 speeds	3 speeds
Timer	12 h	7.5 h	9 h	Mechanical: no timer · Digital: 12 h
Product size	400×400×1170 mm	320×320×890 mm	350×350×1110 mm	362×362×1063 mm
NW / GW	4.5 / 5.6 kg	4.3 / 4.8 kg	4.4 / 5.5 kg	4.3 / 5.1 kg
40HQ loading	1,090 pcs	2,030 pcs	1,100 pcs	1,400 pcs
Stand-out feature	AI mode: speed follows room temperature	High speed, about 10 m/s	BLDC motor, adjustable height	Folds into the base

Stand fans

	 AMSF-105	 AMSF-106R	 AMSF-107R	 AMSF-108R
Type	Stand	Stand	Stand	Stand
Controls	Mechanical / digital + remote	Knob display + remote	Touch control, digital display, remote	Touch panel + remote
Motor	AC or BLDC option	AC or BLDC option	AC	AC
Power	50 W	50 W	40 W	50 W
Speeds	3 speeds / 6 speeds	4 speeds	3 speeds	3 speeds
Timer	9 h (digital)	7.5 h	7.5 h	12 h
Product size	420×380×1180 mm	420×420×1300 mm	420×400×1250 mm	380×380×1300 mm
NW / GW	5.2 / 6.3 kg	5.6 / 6.4 kg	4.5 / 5 kg	4 / 5 kg
40HQ loading	1,090 pcs	1,500 pcs	1,850 pcs	1,800 pcs
Stand-out feature	2 in 1: stand or desk · voice control option	3 in 1: three heights · knob display	Five blades, remote control	LED display, touch panel

Stand fans

	 AMSF-109R	 AMSF-110	 AMSF-111	 AMSF-112R
Type	Stand	Stand	Stand	Stand
Controls	Buttons, LED + remote	Mechanical / digital + remote	Control panel	Remote control
Motor	AC	AC or BLDC option	BLDC	AC
Power	45 W	50 W	50 W	40 W
Speeds	3 speeds	3 speeds	12 speeds	3 speeds
Timer	12 h	Mechanical: no timer · Digital: 7.5 h	15 h	Yes
Product size	435×400×1350 mm	450×420×1300 mm	450×420×1345 mm	670×670×1250 mm
NW / GW	4.0 / 4.65 kg	5.6 / 6.5 kg	6.3 / 7.5 kg	2.55 / 2.95 kg
40HQ loading	1,850 pcs	1,435 pcs	1,050 pcs	2,760 pcs
Stand-out feature	LED display, 12-hour timer	3 in 1: three heights · voice control option	Double head, BLDC motor	Cross base, remote control

Stand fans and Circulation stand fans

	 AMSF-113	 AMSF-114	 AMSF-115	 AMSF-116R
Type	Stand	Stand	Circulation	Stand
Controls	Mechanical	Mechanical	Mechanical / digital + remote	Remote control
Motor	AC	AC	AC	AC
Power	40 W	40 W	30 W	45 W
Speeds	3 speeds	3 speeds	3 speeds	3 speeds
Timer	No timer	No timer	Mechanical: no timer · Digital: yes	No timer
Product size	650×650×1200 mm	650×650×1200 mm	225×220×950 mm	430×430×1250 mm
NW / GW	2.2 / 2.8 kg	2.2 / 2.8 kg	2.2 / 2.8 kg	3.1 / 3.6 kg
40HQ loading	3,250 pcs	3,250 pcs	2,500 pcs	1,800 pcs
Stand-out feature	Five blades, cross base	Five blades, cross base	Optional mosquito repellent module	Three aluminium blades, 3-in-1

Stand fans

	 AMSF-117	 AMSF-118R
Type	Stand	Stand
Controls	Mechanical	Remote control
Motor	AC	AC
Power	125 W	60 W
Speeds	3 speeds	3 speeds
Timer	No timer	4 h
Product size	–	–
NW / GW	–	–
40HQ loading	720 pcs	1,520 pcs
Stand-out feature	Aluminium blades, 125 W	Plastic grille, remote control



Stand fan · 12" or 14" · AI mode

AMSF-101R

A BLDC stand fan with AI mode: fan speed adjusts automatically to the room temperature. In 12 or 14 inches, with 12 speeds, seven blades, a remote control and 12-hour timer.

1 **AI mode**
Speed adjusts to room temperature

2 **Remote control**
12 speeds, 12-hour timer


\+ **Seven-blade head**
85° automatic oscillation

\+ **Height adjustment**
28 cm

Specifications

AI mode	Speed adjusts to room temperature
Diameter	12" or 14"
Power	50 W
Motor	BLDC
Controls	Remote control
Speeds	12 speeds
Airflow	Up to 7 m/s
Blades	7
Timer	12 h
Height	28 cm adjustment
Product size	400×400×1170 mm
Packing size	610×230×435 mm
NW / GW	4.5 / 5.6 kg
20FT / 40HQ	430 / 1,090 pcs
Voltage	220–240 V, 50/60 Hz

Black





White

High-speed stand fan · about 10 m/s

AMSF-102R

High-speed air at about 10 m/s from a compact 12-inch stand fan, about 90 cm tall, with five blades, a remote control and a 7.5-hour timer, in black or white. DC motor optional.

- **1 High-speed air** — About 10 m/s
- **2 Remote control** — 5 wind speeds
- **+ Five-blade head** — 12-inch diameter
- **+ Three heights** — 640, 890 or 1,140 mm
- **+ DC motor** — Optional
- **+ Timer** — 7.5 h

Specifications

Wind speed	About 10 m/s
Diameter	12"
Power	80 W
Motor	AC, DC optional
Controls	Remote control
Speeds	5 speeds
Timer	7.5 h
Blades	5 PP
Height options	640, 890 or 1,140 mm
Product size	320×320×890 mm
Colours	Black, white
Packing size	525×170×370 mm
NW / GW	4.3 / 4.8 kg
40HQ	2,030 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 12"

AMSF-103R

A 12-inch stand fan with a BLDC motor, seven blades, adjustable height, a remote control and 9-hour timer.

1 **BLDC motor**
24 W

2 **Adjustable height**
Set the fan height


\+ **Remote control**
9-hour timer

Specifications

Diameter	12"
Power	24 W
Motor	BLDC
Controls	Remote control
Speeds	9 speeds
Timer	9 h
Blades	7
Height	Adjustable
Product size	350×350×1110 mm
Packing size	640×260×370 mm
NW / GW	4.4 / 5.5 kg
20FT / 40HQ	450 / 1,100 pcs
Voltage	220–240 V, 50/60 Hz

Pink





White



Folds away
Tubes store in the base, with a cortex handle. Shown in another colour.

Photo shows the digital version. Pink is illustrative.

Stand fan · 14" · folds into its base

AMSF-104 / 104R

A 14-inch stand fan that knocks down for storage: the tubes fold into the base, and it has a cortex handle. Three height positions, with mechanical or digital controls.

AMSF-104 Mechanical

AMSF-104R Digital + remote

1 **Oscillating head**
Automatic left and right

2 **Folds away**
Tubes store in the base

\+ **Height**
3 positions

\+ **Digital + remote** AMSF-104R
3 speeds, 12 h timer

Specifications

Diameter	14"
Power	50 W
Motor	AC
Controls	AMSF-104 Mechanical AMSF-104R Touch screen + remote
Speeds	3 speeds
Fan modes	3
Timer	AMSF-104 No timer AMSF-104R 12 h
Height	3 positions
Product size	362×362×1063 mm
Packing size	390×315×390 mm
NW / GW	4.3 / 5.1 kg
20FT / 40HQ	580 / 1,400 pcs
Voltage	220–240 V, 50/60 Hz




Photo shows the digital version.



2 in 1
Use it as a stand fan or a desk fan.

Stand fan · 14" · 2 in 1 · voice control option

AMSF-105 / 105R

A 2-in-1 fan that works as a stand fan or a desk fan, with voice control as an option. 14 inches, seven blades, 85° oscillation and air up to 7 m/s, with mechanical or digital controls.

AMSF-105 Mechanical

AMSF-105R Digital + remote

1. **Seven-blade head**
   85° automatic oscillation
2. **Height adjustment**
   28 cm adjustment

\+ **2 in 1**
Stand fan or desk fan

\+ **Voice control**
Optional

\+ **Airflow**
Up to 7 m/s

\+ **Digital + remote** AMSF-105R
6 speeds, 9 h timer


Specifications

Voice control	Optional
Diameter	14"
Power	50 W
Motor	AC or BLDC option
Controls	AMSF-105 Mechanical AMSF-105R Digital + remote
Speeds	AMSF-105 3 speeds AMSF-105R 6 speeds
Timer	AMSF-105R 9 h
Height	28 cm adjustment
Product size	420×380×1180 mm
Packing size	655×215×425 mm
NW / GW	5.2 / 6.3 kg
20FT / 40HQ	430 / 1,090 pcs
Voltage	220–240 V, 50/60 Hz

Stand fan · 14", 16" or 18" · 3 in 1

AMSF-106R

A 3-in-1 fan that sets up at three heights, in 14, 16 or 18 inches, with a knob display, four speeds, a remote control and 7.5-hour timer.



1 Oscillating head
70° automatic oscillation

2 Knob display
4 speeds and remote control


+ 3 in 1
Three heights



3 in 1
One fan, three heights.

Specifications

Diameter	14", 16" or 18"
Power	50 W
Motor	AC or BLDC option
Controls	Knob display + remote
Speeds	4 speeds
Timer	7.5 h
Height	3 positions
Product size	420×420×1300 mm
Packing size	580×165×460 mm
NW / GW	5.6 / 6.4 kg
20FT / 40HQ	640 / 1,500 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 16"

AMSF-107R

A 16-inch stand fan with five blades, touch control, a digital display, a remote control and a 7.5-hour timer.

1. **Fan head**
   16" diameter
2. **Touch control + digital display**
   With remote control

+ **Air settings**
  3 speeds, smooth oscillation

+ **Stand**
  Heavy base, adjustable height

Specifications

Diameter	16"
Power	40 W
Motor	AC
Controls	Touch control, digital display, remote
Speeds	3 speeds
Timer	7.5 h
Motor speed	1,200 rpm
Blades	5 AS
Product size	420×400×1250 mm
Packing size	510×140×500 mm
NW / GW	4.5 / 5 kg
40HQ	1,850 pcs
Voltage	220–240 V, 50 Hz

Black





White

Stand fan · 16"

AMSF-108R

A 16-inch stand fan with an LED display, touch panel, remote control and 12-hour timer.

1 Five-blade head
16-inch diameter

2 Touch panel + LED
Remote control and 12 h timer

+ Oscillation
Left and right

+ Grille
Metal or plastic, optional

Specifications

Diameter	16"
Power	50 W
Motor	AC
Colours	Black, white
Controls	Touch panel + remote
Speeds	3 speeds
Timer	12 h
Blades	5 PP
Air speed	At least 6 m/s
Grille	Metal or plastic, optional
Height	Up to 1350 mm
Product size	380×380×1300 mm
Packing size	580×125×535 mm
NW / GW	4 / 5 kg
20FT / 40FT / 40HQ	760 / 1,520 / 1,800 pcs
Voltage	220–240 V, 50 Hz

Black





White

Stand fan · 16"

AMSF-109R

A 16-inch stand fan with an LED display, remote control and 12-hour timer, in black or white.

1 Stand fan head
16-inch diameter

2 LED control panel
Remote control and 12 h timer


+ Oscillation
Left and right

+ Grille
Metal or plastic, optional

Specifications

Diameter	16"
Power	45 W
Motor	AC
Controls	Buttons, LED + remote
Speeds	3 speeds
Timer	12 h
Product size	435×400×1350 mm
Grille	Metal or plastic, optional
Packing size	590×135×470 mm
NW / GW	4.0 / 4.65 kg
20FT / 40FT / 40HQ	780 / 1,615 / 1,850 pcs
Voltage	220–240 V, 50 Hz

AMSF-110 Mechanical





AMSF-110R
Digital + remote



3 in 1
One fan, three heights.

Stand fan · 16" · 3 in 1 · voice control option

AMSF-110 / 110R

A 3-in-1 fan that sets up at three heights, with voice control as an option. 16 inches and 70° oscillation, with mechanical or digital controls.

AMSF-110 Mechanical

1. **Oscillating head**
   70° automatic oscillation
+ **3 in 1**
   Three heights
+ **Grille**
   Metal or plastic, optional

AMSF-110R Digital + remote

2. **Mechanical controls** AMSF-110
   3 wind speeds
+ **Voice control**
   Optional
+ **Digital + remote** AMSF-110R
   3 speeds, 7.5-hour timer

Specifications

Voice control	Optional
Diameter	16"
Power	50 W
Motor	AC or BLDC option
Controls	AMSF-110 Mechanical AMSF-110R Digital + remote
Fan modes	AMSF-110R 3
Speeds	3 speeds
Timer	AMSF-110 No timer AMSF-110R 7.5 h
Grille	Metal or plastic, optional
Height	3 positions
Product size	450×420×1300 mm
Packing size	600×170×460 mm
NW / GW	5.6 / 6.5 kg
20FT / 40HQ	625 / 1,435 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 14" or 16"

AMSF-111

A double-head stand fan with a BLDC motor, 12 speeds, a 15-hour timer and adjustable height.

1 Double fan head
14- or 16-inch head options

2 Control panel
12 wind speeds and 15 h timer

+ Swing settings
45° / 90°

Specifications

Diameter	14" or 16"
Power	50 W
Motor	BLDC
Controls	Control panel
Speeds	12 speeds
Timer	15 h
Height	21 cm adjustment
Product size	450×420×1345 mm
Packing size	495×270×460 mm
NW / GW	6.3 / 7.5 kg
20FT / 40HQ	460 / 1,050 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 16"

AMSF-112R

A 16-inch stand fan on a plastic cross base, with three blades and a remote control.

1. **Three-blade head**
   16-inch diameter
2. **Remote control**
   3 wind speeds
3. **Cross base**
   670 mm plastic cross base

Specifications

Diameter	16"
Power	40 W
Motor	AC
Controls	Remote control
Speeds	3 speeds
Timer	Yes
Blades	3 PP
Height	1250 mm
Product size	670×670×1250 mm
Packing size	510×110×455 mm
NW / GW	2.55 / 2.95 kg
20FT / 40FT / 40HQ	1,150 / 2,380 / 2,760 pcs
Voltage	220–240 V, 50 Hz



Stand fan · 16"

AMSF-113

A 16-inch stand fan, 1.2 m tall, with five blades.

1 Five-blade head
16" diameter

+ Motor
AC, 40 W

+ Height
1200 mm

Specifications

Diameter	16"
Power	40 W
Motor	AC
Controls	Mechanical
Speeds	3 speeds
Timer	No timer
Motor speed	1,100 rpm
Blades	5 PP
Height	1200 mm
Product size	650×650×1200 mm
Packing size	500×100×445 mm
NW / GW	2.2 / 2.8 kg
40HQ	3,250 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 16"

AMSF-114

A 16-inch stand fan on a cross base, 1.2 m tall, with five blades.

1 **Five-blade head**
16" diameter

+ **Motor**
AC, 40 W

+ **Height**
1200 mm

Specifications

Diameter	16"
Power	40 W
Motor	AC
Controls	Mechanical
Speeds	3 speeds
Timer	No timer
Motor speed	1,100 rpm
Blades	5 PP
Height	1200 mm
Product size	650×650×1200 mm
Packing size	500×100×445 mm
NW / GW	2.2 / 2.8 kg
40HQ	3,250 pcs
Voltage	220–240 V, 50/60 Hz



Photo shows the digital version.



Mosquito repellent
Optional module: the clear bottle behind the display panel.

Circulation stand fan · mosquito repellent option

AMSF-115 / 115R

A compact circulation stand fan with an optional mosquito repellent module, 70° oscillation and a head that tilts by hand, with mechanical or digital controls.

AMSF-115 Mechanical

AMSF-115R Digital + remote

1. **Mosquito repellent**
   Optional module
2. **Circulation head**
   70° automatic oscillation

\+ **Manual tilt**
Adjust the head up and down

\+ **Digital + remote** AMSF-115R
3 speeds

Specifications

Mosquito repellent	Optional module
Diameter	10"
Power	30 W
Motor	AC
Controls	AMSF-115 Mechanical AMSF-115R Digital + remote
Speeds	3 speeds
Timer	AMSF-115 No timer AMSF-115R Yes
Product size	225×220×950 mm
Packing size	430×255×345 mm
NW / GW	2.2 / 2.8 kg
40HQ	2,500 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 16"

AMSF-116R

A 16-inch fan with three aluminium blades, a round five-hole base and a remote control.

1. **Aluminium blades**
   16-inch head, 3 blades
2. **Round base**
   Five-hole base

\+ **Remote control**
3 wind speeds

Specifications

Diameter	16"
Power	45 W
Motor	AC
Controls	Remote control
Speeds	3 speeds
Timer	No timer
Blades	3 aluminium
Height	1250 mm
Product size	430×430×1250 mm
Packing size	630×150×505 mm
NW / GW	3.1 / 3.6 kg
40HQ	1,800 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 18"

AMSF-117

An 18-inch stand fan with five aluminium blades and a 125 W motor.

1. **Aluminium blades**
   18-inch diameter
- **Motor**
  AC, 125 W
- **Height**
  1300 mm
- **Speeds**
  3 speeds
- **Controls**
  Mechanical

Specifications

Diameter	18"
Power	125 W
Motor	AC
Controls	Mechanical
Speeds	3 speeds
Timer	No timer
Motor speed	1,300 rpm
Blades	5 aluminium
Height	1300 mm
Packing size	540×350×520 mm
40HQ	720 pcs
Voltage	220–240 V, 50/60 Hz



Stand fan · 18"

AMSF-118R

An 18-inch stand fan, 1.4 m tall, with a plastic grille, six blades and a remote control.

- **1 Six-blade head** — 18" diameter
- **Motor** — AC, 60 W
- **Height** — 1400 mm
- **Speeds** — 3 speeds
- **Timer** — 4 h

Specifications

Diameter	18"
Power	60 W
Motor	AC
Controls	Remote control
Speeds	3 speeds
Timer	4 h
Motor speed	1,300 rpm
Blades	6 plastic
Height	1400 mm
Packing size	600×140×530 mm
40HQ	1,520 pcs
Voltage	220–240 V, 50/60 Hz

ACCURA

Interested?

Please contact **sales@accura-mfg.co**